# GENTLE LAXATIVE- bisacodyl tablet, coated Topco Associates, LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

#### **Topcare 44-327**

#### Active ingredient (in each tablet)

Bisacodyl USP, 5 mg

#### **Purpose**

Stimulant laxative

#### Uses

- for relief of occasional constipation and irregularity
- this product generally produces bowel movement in 6 to 12 hours

#### Warnings

#### Do not use

if you cannot swallow without chewing.

## Ask a doctor before use if you have

- stomach pain, nausea or vomiting
- a sudden change in bowel habits that lasts more than 2 weeks

### When using this product

- do not use within 1 hour after taking an antacid or milk
- do not chew or crush tablet(s)
- you may have stomach discomfort, faintness and cramps

## Stop use and ask a doctor if

- you have rectal bleeding or fail to have a bowel movement after use of a laxative.
   These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

# If pregnant or breast-feeding,

ask a health professional before use.

# Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

#### **Directions**

take with a glass of water

12 years and over	take 1 to 3 tablets in a single daily dose
children 6 to under 12 years	take 1 tablet in a single daily dose
children under 6 years	ask a doctor

#### Other information

- TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN
- avoid excessive humidity
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

## Inactive ingredients

acacia, ammonium hydroxide, calcium carbonate, carnauba wax, colloidal anhydrous silica, corn starch, D&C yellow #10 aluminum lake, FD&C yellow #6 aluminum lake, hypromellose, iron oxide black, lactose anhydrous, magnesium stearate, methylparaben, polydextrose, polyethylene glycol, polyvinyl acetate phthalate, povidone, propylene glycol, propylparaben, shellac glaze, simethicone, sodium alginate, sodium benzoate, sodium bicarbonate, stearic acid, sucrose, talc, titanium dioxide, triacetin, triethyl citrate

Questions or comments?

1-888-423-0139

Principal display panel

+TopCare®

Health

NDC 36800-327-56

COMPARE TO DULCOLAX® LAXATIVE TABLETS ACTIVE INGREDIENT\*

Gentle Laxative

BISACODYL USP 5 mg • STIMULANT LAXATIVE

Gentle, Dependable Constipation Relief

#### **25 ENTERIC COATED TABLETS**

actual size

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

\*This product is not manufactured or distributed by Sanofi-Aventis Deutschland GMBH, owner of the registered trademark Dulcolax® Laxative Tablets.

50844 ORG011932756

DISTRIBUTED BY TOPCO ASSOCIATES LLC ELK GROVE VILLAGE, IL 60007 © TOPCO LNKA0321 QUESTIONS? 1-888-423-0139 topcare@topco.com www.topcarebrand.com

**QUALITY GUARANTEED** 



# **Gentle Laxative**

BISACODYL USP 5 mg • STIMULANT LAXATIVE



Scan here for more information or call 1-888-423-0139



COMPARE TO DULCOLAX® LAXATIVE TABLETS ACTIVE INGREDIENT\*

# Gentle Laxative

BISACODYL USP 5 mg • STIMULANT LAXATIVE

Gentle, Dependable Constipation Relief

# 25 ENTERIC COATED TABLETS



actual

1-888-453-0138 Questions or comments?

Orug Facts (continued)

sodium benzoate, sodium bicarbonate, stearic acid, sucrose, talc, fitanium dioxide, triacetin, triethyl citrate

Urug Facts (continued)

B-1910-327-56-R 0RG011932756

DISTRIBUTED BY TOPCO ASSOCIATES LLC
ELK GROVE VILLAGE, IL 60007
©TOPCO LNKA0321
OUESTIONS? 1-888-423-0139
topcare@topco.com
www.topcarebrand.com

Inactive ingredients acacia, ammonium hydroxide, calcium carbonate, carnauba wax, colloidal anhydrous silica, corn strauba wax, colloidal anhydrous silica, corn sarch, D&C yellow #10 aluminum lake, hypromellose, iron oxide black, lactose anhydrous, magnesium stearate, methybaraben, polydextrose, propylene glycol, polydextrose, polyethylene glycol, polyninyl acetale phthalate, polyethylene glycol, polyninylene gl

ипшра

- In see end flap for expiration date and lot
  - svojq excessive primidity
  - Detween 15°-30°C (59°-86°F)
- store at 25°C (77°F); excursions permitted

Il pregnant or breast-feeding, ask a health professional before use.

Week

Stop use and ask a doctor it bowe in have a bowe myou have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.

If you need to use a laxative for more than it.

and cramps

- antacid or milk you may have stomach discomfort, faintness
  - do not chew or crush tablet(s)
     do not use within 1 hour after taking an
    - When using this product

 a sudden change in bowel habits that lasts more than 2 weeks Outed by Sanoff-Aventis Deutschland GMBH, owner of Eablets. 5084 0RG011932756

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING



#### Topcare 44-327

#### **GENTLE LAXATIVE**

bisacodyl tablet, coated

Product Type HUMAN OTC DRUG Item Code (Source) NDC:36800-327

Route of Administration ORAL

### **Active Ingredient/Active Moiety**

Ingredient Name
BISACODYL (UNII: 10X0709Y6I) (DEACETYLBISACODYL - UNII:R09078E41Y)
BISACODYL
BISACODYL
BISACODYL
5 mg

Inactive Ingredients	
Ingredient Name	Strength
<b>ACACIA</b> (UNII: 5C5403N26O)	
AMMONIA (UNII: 5138Q19F1X)	
CALCIUM CARBONATE (UNII: H0G9379FGK)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STARCH, CORN (UNII: O8232NY3SJ)	
D&C YELLOW NO. 10 ALUMINUM LAKE (UNII: CQ3XH3DET6)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
FERROSOFERRIC OXIDE (UNII: XM0M87F357)	
ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
POLYDEXTROSE (UNII: VH2XOU12IE)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
Polyvinyl Acetate Phthalate (UNII: 58QVG85GW3)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	

PROPYLPARABEN (UNII: Z8IX2SC10H)	
SHELLAC (UNII: 46N107B710)	
DIMETHICONE (UNII: 92RU3N3Y10)	
WATER (UNII: 059QF0KO0R)	
SODIUM ALGINATE (UNII: C269C4G2ZQ)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SUCROSE (UNII: C151H8M554)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRIACETIN (UNII: XHX3C3X673)	
TRIETHYL CITRATE (UNII: 8Z96QXD6UM)	

Product Characteristics			
Color	orange	Score	no score
Shape	ROUND	Size	6mm
Flavor		Imprint Code	5
Contains			

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:36800- 327-03	1 in 1 CARTON	05/15/2019		
1		10 in 1 BLISTER PACK; Type 0: Not a Combination Product			
2	NDC:36800- 327-56	1 in 1 CARTON	05/15/2019		
2		25 in 1 BLISTER PACK; Type 0: Not a Combination Product			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part334	05/15/2019		

# Labeler - Topco Associates, LLC (006935977)

Establishment			
Name	Address	ID/FEI	<b>Business Operations</b>
LNK International, Inc.		832867894	manufacture(36800-327)

# **Establishment**

Name	Address	ID/FEI	<b>Business Operations</b>
LNK International, Inc.		832867837	pack(36800-327)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(36800-327)

Establishment			
Name	Address	ID/FEI	<b>Business Operations</b>
LNK International, Inc.		038154464	pack(36800-327)

Establishment			
Name	Address	ID/FEI	<b>Business Operations</b>
LNK International, Inc.		868734088	pack(36800-327)

Revised: 4/2021 Topco Associates, LLC